



SMD One Time Fuse  
Overcurrent Protectors

DOC.NO.: ISS-12 110 X

# INDIVIDUAL SPECIFICATION SHEET

**Product Name:** SMD One Time Slow blow Fuse

**Part Number:** 12 110 Series

**Revision:** B



**Ao littel Technology Co.Ltd.**

Bld. 16, Yanhe East Road, Xiangdong Village, Dongguan 523833, Guangdong, China

QQ # : 3217998702

Email : eric.lye@aolittel.com

<http://www.aolittel.com/>

AEC-Q200 Automotive Grade Certified EIA 1206 3216 Metric Slow  
Blow Surface Mount Chip Fuse 2.5A 63VDC 72VDC

Rev.	Effective Date	Changed Contents
B	2014-12-18	1A~4A, add higher version IR50A 63Vdc

The individual specification sheet are the property of Ao littel Technology Co.Ltd. and shall not be copied or used as commercial purposes without permission.


PREPEARED BY

APPROVED BY




**Dimension** (Unit: mm/inch)


Top view



Side view



**Clear Time Curve**



**Environmental Characteristics**

Storage Conditions .....+40 °C Max. 70% RH Max. Packed in original packaging.

**Agency Approvals**

- Agency Approvals: UL E467707, CSA
- Regulation/Standard: RoHS, Reach

**Package information**

<u>Model</u>	<u>Q'ty/Reel</u>
12 110 X	3000 pcs

Note: Reel packaging per EIA-481-1 standard

